A new approach to rheology and X-ray scattering at DESY

Bernd Struth



HELMHOLTZ

Haake Mars II rheometer as installed at beamline BW1, Doris III

Bernd Struth 24.1.2013



Why rheology with X-rays

There is lack of knowledge about microstructures of fluid materials when rheology is applied

Could open a new market for DESY as a user facility?

- ~ 80 universities in Germany
- ~ 40 \implies rheology
- ~ 40 % of MPI's
- ~ 75 % of Fraunhofer

In industrial processing



neutral axis



2) cone / plate, plate / plate with vertical X - ray beam

Advantage:

Apply the full range of rheological tests available for plate / plate and cone / plate and other possible geometries

The vertical X-ray beam allows to probe the sample in a very well defined way along the velocity gradient







inverted geometry



motor blocks access of beam

Vertical beam +

Plate / Plate

Liquid Crystal



Smectic A phase of 8CB under steady shear:



Scattering geometry for 8CB





Results: steady shear

After quenching from isotropic phase Sample is prealigned

due to squeezing during the loading process (A/B orientation)



Beam probes few domains (domain size)





Large amplitude oscillatory shear (LAOS)



Frequency 1 Hz, strain 0.02





No orientation occured during the experiment



Lamellae stay randomly distributed



Results: Large amplitude oscillatory shear (LAOS)



Frequency : 1 Hz

Strain amplitude: 1

Non – linear regime

Struth B, Hyun K, Kats E, Meins T, Walther M, Wilhelm M, Gruebel G LANGMUIR 27, 2880-2887, 2011

Creation of a sixth order orientational structure Reorientation only in non linear regime Stable hours after stopping the experiment



Possible scenarios





distorted herringbone

0</t

chevron like

Experiments at Petra III:

Flipping and oriented domains





oriented domains



Since september 2012: Member of FS-DS (detector group) at DESY (H. Graafsma)

60% for detectors, 40% for rheology

Diffraction from liquid crystal 8CB under strain (Rheo/SAXS setup at P10, Petra III)

- First beamline experiment with LAMBDA detector
- Pixel size enables line shape analysis

8CB produces very sharp reflections, line shape analysis impossible with standard detectors

Pixel size of LAMBDA detector allows for line shape analysis when rheology setup is used

David Pennicard, Bernd Struth, Heinz Graafsma





Comparison of expected speckle shapes and sizes for a system of charge stabilized spheres with and without lateral confinement.

MC – Simulation: System parameters are identical.

Only confinement force along the x-Axis increased by a factor of 10.

Both systems start from completely random particle distribution and evolve into the two states:



Important result for experiments with coherent X-ray beams

Speckles are often too small for detection

In confined systems, speckle size increases mostly in one dimension

This increase could allow detection of ultra fast processes with a completely new generation of ultra fast detectors

Possible application for XFEL???



Conclusion:

Installation of the modified Mars rheometer successfull at DESY

First in situ experiments with vertical beam geometry at Doris III

28 user experiments already performed at DESY

5 publications (2011-2012)

(1) Observation of New States of Liquid Crystal 8CB under Nonlinear Shear Conditions as Observed via a Novel and Unique Rheology/Small-Angle X-ray Scattering Combination Struth B., Hyun K., Kats E., Meins T., Walther M., Wilhelm M., Gruebel G _ LANGMUIR 27, 2880-2887, 2011

 (2) New Insight to the Mechanism of the Shear-Induced Macroscopic Alignment of Diblock Copolymer Melts by a Unique and Newly Developed Rheo-SAXS Combination Meins T, Hyun K, Dingenouts N, Ardakani MF, Struth B, Wilhelm M MACROMOLECULES 45, 1, 455-472 2012

(3) Shear induced structure orientation in norbornene block copolymers: In situ Rheo-SAXS investigations Pulamagatta B, Ostas E, Herbst F, Struth B, Binder W.H. EUROPEAN POLYMER JOURNAL 48 1127–1134 2012

(4) Influence of shear-induced crystallization on the electrical conductivity of high density polyethylene carbon nanotube nanocomposites Tao F, Bonnaud L, Auhl D, Struth B, Dubois P, Bailly C POLYMER 53 25 5909-5916 2012

(5) Nonlinear behavior of nematic platelet dispersions in shear flow Lettinga M.P., Holmqvist P., Ballesta P., Rogers S., Kleshchanok D., Struth B. PHYS. REV. LETT. 109 2012

Transfer of setup to Petra III, P10 successfull in december 2010

New powerful detectors will push limits of spatial and time resolution



Time schedule, 2003 – 2013, acknowlegement

2003 idea for a rheology experiment with vertical X-ray beam (B. Struth, ESRF, France) 2004-2005 (B. Struth) first contact with Haake, Karlsruhe, C. Kuechenmeister 2005 idea for modification of the Haake Mars platform to inverted geometry (Haake, B. Struth) scientific support from M. Wilhelm, Karlsruhe university 2006 move to DESY, Hamburg (Bernd Struth), responsibility: Langmuir and Rheology at DORIS III 2007 delivery of modified rheometer Mars II to DESY 2008 first installation of rheometer with vertical beam geometry at Doris III, BW1 postdoc: K. Hyun, engineers: M. Walther, H. Schultz-Ritter, scientific support M. Wilhelm first experiments on 8CB, steady shear and LAOS 2009 shutdown of DORIS III, development of heating chamber, 10C – 270C (M. Walther, B. Struth) 2010 first satisfying results at DORIS III: 8CB and Polymers, setup in user mode at BW1, DORIS III Transfer of experiment to Petra III in december, successful commissioning 2011 design of a developed vertical beam environment at Petra III, P10 (D. Meissner, R. Heitmann, B. Struth), june: design finished, production of parts first publication: B. Struth et.al., Struth et al, LANGMUIR, 27, 6, 2880-2887, 2011 September: new postdoc, Eric Stellamanns October / November: installation of vertical beam setup at P10 (L. Klein, S. Bondarenko, E. Stellamanns, B. Struth) 2012 Rheology with vertical X-ray beam in user mode at beamline P10, Petra III 3 papers (results from Doris III), 1 paper (result from Petra III) shutdown of Doris III 2013 Setup is integrated part of beamline P10, Petra III (beamline responsible M. Sprung) Instrument responsible: E. Stellamanns

Special thanks to: J. Schneider, E. Weckert, W. Drube, G. Gruebel, H. Franz, H. Graafsma